



INTERNATIONAL FOOD
POLICY RESEARCH INSTITUTE
sustainable solutions for ending hunger and poverty

FOOD CONSUMPTION AND NUTRITION DIVISION

November 2006

FCND Discussion Paper 213

Micronutrient Malnutrition, Obesity, and Chronic Disease in Countries Undergoing the Nutrition Transition: Potential Links and Program/Policy Implications

Cara L. Eckhardt

2033 K Street, NW, Washington, DC 20006-1002 USA • Tel.: +1-202-862-5600 • Fax: +1-202-467-4439 • ifpri@cgiar.org
www.ifpri.org

IFPRI Division Discussion Papers contain preliminary material and research results. They have not been subject to formal external reviews managed by IFPRI's Publications Review Committee, but have been reviewed by at least one internal or external researcher. They are circulated in order to stimulate discussion and critical comment.

Copyright 2006, International Food Policy Research Institute. All rights reserved. Sections of this material may be reproduced for personal and not-for-profit use without the express written permission of but with acknowledgment to IFPRI. To reproduce the material contained herein for profit or commercial use requires express written permission. To obtain permission, contact the Communications Division at ifpri-copyright@cgiar.org.

Abstract

Background: The nutrition transition occurring in many developing countries may invite the misconception that diets are moving entirely away from undernutrition toward problems of excess. But despite the sufficiency of energy in these countries, diet quality is poor and micronutrient deficiencies often remain. In this context, micronutrient deficiencies may actually contribute to the development and severity of diet-related chronic diseases.

Objectives: This paper discusses the potential long-term effects of micronutrient malnutrition in early childhood on obesity and related disease outcomes. The links between early micronutrient malnutrition, stunting, and subsequent short adult stature—emerging risk factors for obesity and associated chronic diseases—are reviewed. This paper also explores recent literature linking micronutrient malnutrition in adults to increased risk and severity of chronic disease. Finally, this paper discusses the program and policy implications of these relationships.

Methods: Literature searches on the topics of interest were conducted in Medline. This paper is not the result of a systematic literature review, but rather discusses relevant literature to bring attention to links between under- and over-nutrition that have not been widely considered.

Conclusions: In children, micronutrient malnutrition is a cause of stunting and may be accompanied by metabolic adaptations that increase the risk of later obesity and related disease. In adults, deficiencies in key micronutrients may promote oxidative stress, folate deficiency may increase risk for heart disease, and zinc deficiency may be exacerbated in the presence of diabetes while also affecting glucose transport. Low fruit and vegetable consumption may additionally increase the risk of cardiovascular disease (CVD) and cancer through a variety of mechanisms. The importance of supporting

programs and policies that address the spectrum of malnutrition, including micronutrient malnutrition and emerging obesity together, is stressed.

Key words: diet quality, micronutrient malnutrition, obesity, chronic disease, cancer, adults, children

Contents

Acknowledgments.....	v
1. Introduction.....	1
2. Micronutrient Malnutrition in Childhood May Indirectly Increase Risk of Later Obesity and Chronic Disease via Stunting.....	4
Micronutrient malnutrition contributes to stunting.....	4
Early childhood stunting may increase the risk of later obesity.....	5
Early childhood stunting and related short adult stature may increase the risk of developing chronic disease.....	6
3. Micronutrient Malnutrition in Adulthood May Increase the Risk and Severity of Diabetes, CVD, and Cancer.....	7
Micronutrient malnutrition may contribute to Type II Diabetes.....	7
Micronutrient malnutrition may contribute to CVD and cancer.....	10
4. Discussion.....	12
The mechanisms behind the association between childhood stunting and increased risk for overweight/obesity and chronic disease need to be elucidated.....	13
The extent of micronutrient malnutrition and overweight/obesity overlap among adults, and the implications of this confluence need to be clarified.....	13
The concept of diet quality must be adopted as the firm goal of all nutrition.....	16
References.....	17

Acknowledgments

I would like to thank Dr. Marie Ruel, Dr. Corinna Hawkes, and Dr. Liv Elin Torheim for their insightful comments and suggestions during the drafting of this manuscript.

Cara L. Eckhardt
International Food Policy Research Institute

1. Introduction

In many developing countries affected by rapid globalization, industrialization, and urbanization, obesity and diet-related chronic diseases such as diabetes and cardiovascular disease (CVD) are emerging as important health concerns. For example, the combined prevalence of overweight and obesity in Mexico rose by 78 percent from 1980 to 1998, and the mortality rates from diabetes mellitus and high blood pressure rose 62 percent and 55 percent, respectively, over the same period (Rivera et al. 2002). The disability-adjusted life years lost to noncommunicable disease risk factors (such as high blood pressure, overweight, and sedentary lifestyles) in the Americas, excluding the United States and Canada, are now almost three times the amount lost to childhood and maternal undernutrition (Jacoby 2004). Similar situations exist in other areas of the world as well, including countries such as China, Egypt, and South Africa (Gu et al. 2005; Galal 2002; Puoane et al. 2002). The World Health Organization estimates that 66 percent of deaths due to chronic disease worldwide now occur in developing countries and that obesity is a primary risk factor in these contexts (WHO 2004). And within such countries, the poor are increasingly affected as development progresses (Monteiro et al. 2004).

This move toward obesity and related chronic diseases in many developing countries invites the misconception that diets are shifting entirely away from problems of constraint toward problems of excess. However, the nutrition transition occurring in such countries, while associated with diets higher in energy, is also marked by poor diet quality. Thus, while energy may be plentiful, it increasingly comes from energy-dense sources such as added sugars and edible oils, while intakes of complex carbohydrates, fiber, and micronutrient-rich foods such as fruits and vegetables and animal-source foods are often low (Bermudez and Tucker 2003; Murphy and Allen 2003; Drewnowski and Popkin 1997).

In fact, even as wasting and underweight are replaced by rising rates of obesity, affecting women first and later children and men as development progresses,

micronutrient malnutrition remains a significant public health problem in many transitional countries undergoing the nutrition transition. For example, the prevalences of iron and zinc deficiency in a 1998 nationally representative sample of Mexican women were 40 percent and 30 percent, respectively, based on serum concentrations, while the prevalence of overweight and obesity (BMI \geq 25) was greater than 50 percent (Rivera et al. 2002; Villalpando et al. 2003). The prevalence of anemia (an indicator of iron-deficiency) in Peru and Egypt from nationally representative data in 2000 was 32 percent and 28 percent, respectively. At the same time, the prevalence of overweight and obesity was greater than 50 percent in Peru and was greater than 77 percent in Egypt (DHS 2005).

It is likely that these micronutrient deficiencies coexist with overweight and obesity for the following reasons. First, obese adults and stunted children live within the same households in a variety of transitional countries (Garrett and Ruel 2005). This suggests that micronutrient deficiencies, which are strongly associated with childhood stunting, remain, at least among children, even while energy is clearly available in excess. Second, there is evidence that obese individuals, particularly those living in poverty, may simultaneously be affected by iron deficiency in both developed and developing countries contexts. For example, an analysis of the National Health and Nutrition Examination Survey III (1988-1994) in the United States found that children (2-16 years of age) who were overweight or at risk of being overweight were about twice as likely to be iron-deficient as children who were not overweight (Nead et al. 2004). And an analysis of Andhra Pradesh from the nationally representative National Family Health Survey (1998/1999) in India found that, while the prevalence of anemia was lower in overweight than in underweight and normal weight women, the rate of anemia in the overweight group was still quite high at 41 percent (Bentley and Griffiths 2003). Third, the association of food insecurity¹ with obesity has been demonstrated in several studies,

¹ Food insecurity is defined as the “limited or uncertain availability to acquire acceptable foods in socially acceptable ways,” a concept that includes problems of insufficient diet quality (Carlson, Andrews, and Bickel 1999; Alaimo et al. 1998).

primarily in the United States (Adams, Grummer-Strawn, and Chavez 2003; MMWR 2003; Oh and Hong 2003; Townsend et al. 2001), and recent research in the United States demonstrates that micronutrient-poor obesogenic diets may be common among the poor because they are more affordable than diets of high quality (Drewnowski and Darmon 2005; Drewnowski and Specter 2004). More research is needed to verify these connections in developing country contexts, but the overlap of stunting and overweight/obesity within households and the coexistence of micronutrient malnutrition and overweight/obesity within individuals in developing countries provides strong preliminary evidence that obesity does occur in the presence of food insecurity. And finally, since micronutrient deficiencies tend to cluster within individuals, people who are both overweight and anemic are likely to be deficient in other micronutrients as well.

Micronutrient malnutrition in the context of the nutrition transition presents unique concerns. While the most commonly cited consequences (such as stunting, impaired cognitive development, increased morbidity and mortality in children, and increased maternal morbidity) remain, micronutrient malnutrition may have additional deleterious health consequences when combined with obesity and related chronic diseases.

This review paper discusses several links between micronutrient deficiency, obesity, and obesity-related chronic diseases. First, we consider the potential long-term effects of micronutrient malnutrition in early childhood. We focus on the links between early micronutrient malnutrition, stunting, and subsequent short adult stature—emerging risk factors for obesity and associated chronic diseases in the nutrition transition context. Second, we link micronutrient malnutrition in adults to increased risk and severity of diabetes, CVD, and cancer. We discuss links between deficiencies in antioxidant micronutrients and chronic disease, the potential for zinc deficiency to exacerbate diabetes due to its structural relationship with insulin, the relationship between folate deficiency and increased homocysteine levels—an established risk factor for CVD, and the association between low fruit and vegetable intakes and increased risk for CVD and cancer. We conclude by discussing the public health and policy implications of these

links in the context of developing countries undergoing the nutrition transition, and recommend directions for future research.

This paper is not the culmination of a systematic literature review, but was written as a conceptual piece to draw attention to a variety of potential links between under- and over-nutrition in the context of the nutrition transition. The literature presented was identified through a search of pertinent topics on Medline, and papers were selected due to content relevant to the ideas presented.

2. Micronutrient Malnutrition in Childhood May Indirectly Increase Risk of Later Obesity and Chronic Disease via Stunting

Micronutrient malnutrition contributes to stunting

Along with established risk factors such as frequent infection and poor weaning foods, there is strong evidence that several micronutrients (primarily zinc, iron, and vitamin A) play important roles in linear growth, and that deficiencies in these key nutrients may result in stunting (Rivera et al. 2003). Zinc directly influences the growth hormone and insulin-like growth factor-I systems (Dorup and Clausen 1991), affects bone metabolism (Nishi 1996), and is involved in DNA synthesis (Clausen and Dorup 1998; Bunce 1994). Zinc and vitamin A affect immune function (Black 2003; Black and Sazawal 2001; Black 1998; Underwood and Arthur 1996; West et al. 1991), and thus risk of morbidity and associated growth faltering. And, zinc and iron deficiencies can result in anorexia, leading to decreased intakes of all nutrients, which can also limit growth (Clausen and Dorup 1998; Lawless et al. 1994). A meta-analysis of zinc supplementation trials found positive linear growth effects in 25 out of 33 studies reviewed, indicating strong evidence that zinc deficiency results in linear growth faltering (Brown et al. 2002). Reviews of iron and vitamin A supplementation trials did not reveal consistent results, but did show significant positive effects on linear growth in the context of severe deficiencies (Rivera et al. 2003). Because multiple micronutrient deficiencies often exist within individuals, it has been suggested that inconsistent results with regard to growth

effects in single micronutrient supplementation trials may be due to the presence of other growth-limiting micronutrient deficiencies in the study populations rather than a true absence of effect (Allen 1994). Indeed, a meta-analysis of multiple micronutrient supplementation trials does show consistent effects on linear growth (Ramakrishnan et al. 2004).

Macronutrient deficiencies in protein and energy may also affect linear growth. However, energy supplementation trials among stunted children have had inconsistent effects, which again may be because growth-restricting micronutrient deficiencies are likely to remain in poor populations despite the provision of supplemental energy (Allen 1994). While some protein supplementation trials have had small effects on linear growth, it is difficult to distinguish whether the benefits in these cases were related strictly to the increased intake of protein, or were due to concomitant increases in intakes of growth-promoting micronutrients, such as zinc and vitamin A, that are common components of protein-rich foods (Allen 1994). Because stunted linear growth remains widespread in countries undergoing the nutrition transition, where energy supply is generally not constrained, it is reasonable to assume that micronutrient deficiencies are likely to be the main growth-limiting nutritional influences in these settings.

Early childhood stunting may increase the risk of later obesity

Obesity rates are rising rapidly in countries undergoing the nutrition transition despite continued high prevalences of childhood stunting, an indicator of chronic undernutrition. While it may seem paradoxical, there is growing evidence that undernutrition in early life may predispose individuals toward later obesity. An association between stunting and overweight/obesity has been demonstrated in children in low-income urban population in Brazil (Sawaya et al. 1995), and in nationally representative surveys from Russia, China, Brazil, and South Africa (Popkin, Richards, and Montiero 1996). The association of short adult stature, a result of childhood stunting, and obesity was also seen among women in urban Brazil (Florescio et al. 2001). While

several other studies did not find this association, a study in Guatemala observed a link between childhood stunting and adult abdominal fatness, a risk factor for chronic disease (Schroeder, Martorell, and Flores 1999), and another in Jamaica noted the association of both childhood stunting and low birthweight with increased central fat distribution in adolescence (Walker et al. 2002). In a review of early nutrition and later adiposity, Martorell, Stein, and Schroeder (2001) noted the possibility that stunting might predispose individuals to later obesity, but that this association may only be expressed if individuals are exposed to the energy-dense diets that are seen in countries undergoing the nutrition transition.

The premise for the observed relationship between stunting and obesity is the early origins hypothesis, originally put forward by Barker (1990), which suggests that nutrient deficiencies in early childhood “program” the body to make permanent metabolic and other physiological adaptations in response to nutrition constraints, and that this can lead to obesity in the context of later abundant energy availability (McMillen and Robinson 2005). Several specific physiological mechanisms have been suggested and tested among a group of children in Brazil, revealing that stunted children have impaired fat oxidation—a predictor of obesity, that they may have increased susceptibility to weight-gain effects from high-fat diets, and that they may not properly regulate food intake (Hoffman et al. 2000a, 2000b; Sawaya et al. 1998).

Early childhood stunting and related short adult stature may increase the risk of developing chronic disease

The process of stunting takes place during early childhood when nutrient deficiencies impair linear growth during the period of maximum growth velocity, and after which recovery is rarely seen (Martorell, Khan, and Schroeder 1994). Thus, stunting in early childhood generally leads to short adult stature (Rivera et al. 1995). Short adult stature has been associated with CVD in a variety of studies in developed world populations (Rich-Edwards et al. 1995; Kannam et al. 1994; Hebert et al. 1993). Evidence from countries undergoing the nutrition transition is also emerging. In Brazil,

women in the lowest quartile of height had significantly higher odds of hypertension than women in the highest quartile, controlling for other risk factors (Sichieri et al. 2000). A study in Bangladesh identified short stature and high body mass index as independent risk factors for glucose intolerance in both men and women (Sayeed et al. 1997), and a study in Mexico found that short stature was associated with a higher prevalence of both Type II Diabetes and arterial hypertension in men and women after adjusting for potential confounders (Lara-Esqueda et al. 2004). There is also some evidence for the early emergence of chronic disease risk factors among stunted children. For example, a study among Jamaican children showed that stunting during the first two years of life was associated with an increased risk of high systolic blood pressure by 7-8 years of age, controlling for confounders (Gaskin et al. 2000). Again, stunting and subsequent short stature are thought to be associated with chronic diseases such as diabetes and hypertension because they are indicators of childhood malnutrition, which may trigger changes in physiological development that increase chronic disease risk factors (McMillen and Robinson 2005). Short stature may also increase the risk of hypertension due to the physics of resistance to blood flow in short vessels (Sichieri et al. 2000).

Thus, micronutrient malnutrition may be indirectly contributing to the risk of overweight/obesity and chronic diseases via its relationship with childhood stunting and subsequent short adult stature, which, in turn, increase the risk for overweight/obesity and chronic disease in the context of the nutrition transition.

3. Micronutrient Malnutrition in Adulthood May Increase the Risk and Severity of Diabetes, CVD, and Cancer

Micronutrient malnutrition may contribute to Type II Diabetes

In order to better understand the links between micronutrient malnutrition and Type II Diabetes, it is important to first review the pathophysiology of the disease. In non-diabetic normal individuals, insulin is produced and stored in the pancreatic beta cells and is released in response to glucose entering the blood. Insulin then binds to cell

receptors and facilitates the uptake of glucose across cell membranes. In the initial phases of Type II Diabetes, the pancreatic islet cells that produce insulin function normally, but there is failure of the intracellular events that activate glucose transport following signal by the insulin/receptor complex. This results in hyperglycemia. The pancreas responds by producing increasing amounts of insulin, which results in down-regulation of insulin receptors, exacerbating the problem. The beta cells of the pancreas, in their inadequate efforts to create enough insulin to offset the high amount of glucose in the blood, weaken as the disease progresses, resulting in even greater hyperglycemia (Chausmer 1998).

There is ample evidence that oxidative stress is increased with diabetes, and it is implicated in the progression of virtually all of the complications of diabetes (Thompson and Godin 1995; Baynes and Thorpe 1999) such as atherosclerosis, retinopathy, neuropathy, and vascular complications affecting the heart (Thompson and Godin 1995; Halliwell and Gutteridge 1990; Pirart 1977). Oxidative stress may be increased among diabetics for several reasons. Because glucose is vulnerable to oxidation, hyperglycemia, the hallmark of diabetes, may lead to increased production of harmful reactive oxidative species (ROS) such as peroxides and free radicals (Hunt, Smith, and Wolff 1990; Wolff, Jiang, and Hunt 1991). The disposal and deactivation of these ROS is essential and occurs through the interaction of enzymes and non-enzymatic compounds (Thompson and Godin 1995). A variety of micronutrients play a role in these processes, thus deficiencies in these micronutrients may contribute to the development and progression of disease complications (Wolff and Dean 1987). While many micronutrients, including vitamin C and vitamin E, function as antioxidants, we focus our discussion on zinc, due to the high prevalence of zinc deficiency in the developing world context and due to additional unique links between zinc and diabetes.

Copper-Zinc superoxide dismutase is a zinc-containing antioxidant enzyme that works in the cytoplasm to break down superoxide ions (Thompson and Godin 1995). In addition to breaking down superoxide ions as an enzymatic compound, zinc also inhibits ROS production through competition with iron and copper for key binding sites on cell

membranes and some proteins, making free iron and copper more available for binding to ferritin and metallothionein, respectively, thus incapacitating their oxidative capacities. Zinc also binds to specific sites on proteins and directly protects those areas from oxidation (Bettger 1993). Dietary zinc deficiency in rats does not seem to affect levels of superoxide dismutase because this enzyme can function using other metal ions in place of zinc. However, increased oxidative and peroxidative damage has been noted in zinc-deficient rats due to low dietary intakes, perhaps due to some of the other antioxidant activities of zinc (Bettger 1993). Thus, it is possible that zinc deficiency could contribute to increased oxidative stress and associated increases in the complications from Type II Diabetes.

Zinc status and diabetes share several additional links beyond the antioxidant connection. The metabolism of zinc is compromised in the presence of diabetes. Hyperzincuria and hypozincemia are commonly seen, although the mechanism for the urinary loss is not fully understood (Chausmer 1998). Hypozincemia may reflect urinary losses, and may also be due to decreased absorption of zinc in the gut among diabetics (Kinlaw et al. 1983). Thus, zinc deficiency and its pro-oxidant effects may arise as a result of diabetes rather than acting as initiators of disease development (Chausmer 1998), making the causal pathway between zinc status and diabetes difficult to distinguish.

However, a mechanism by which prior zinc deficiency may contribute to the development and progress of diabetes has also been suggested. Zinc has a unique structural relationship with insulin. In the beta cells of the pancreas, zinc forms crystals with insulin for storage and release (Chausmer 1998) and free zinc also helps with glucose metabolism. The development and diagnosis of Type II Diabetes is generally preceded by hyperinsulinemia, with secretion of insulin high due a diminishing ability of insulin to adequately transport and deliver glucose from the blood to the cells. When free zinc levels are low, even more insulin is secreted to compensate, depleting cellular zinc in the pancreas as it departs in the form of insulin crystals. The hyperzincuria that comes with the development of diabetes further lowers the availability of zinc for re-uptake into

the pancreas cells. As a result of having to produce and release greater and greater amounts of insulin, the beta cells may become exhausted, and with cellular zinc depleted, may have increased vulnerability to oxidative damage, resulting in beta cell damage and eventual inability to supply sufficient insulin in later stages of the disease. Thus, it has been hypothesized that preventing zinc deficiency may contribute to protecting against the development and progress of diabetes, although research to test this hypothesis is needed (Chausmer 1998; Sprietsma and Schuitemaker 1994).

Micronutrient malnutrition may contribute to CVD and cancer

Folate, a micronutrient found largely in fruits and vegetables, appears to play a unique role in the development of heart disease. Folate is a co-substrate in homocysteine metabolism (Eichholzer et al. 2001), thus folate deficiency leads to high levels of blood homocysteine, an important risk factor for coronary heart disease (Verhoeve, Stampfer, and Rimm 1998). In addition, folate has anti-inflammatory actions and enhances the synthesis of nitric oxide, which, when only present at reduced levels, is associated with impaired vasodilation and atherosclerosis (Das 2003). In fact, some now estimate that 10-25 percent of deaths from heart disease and stroke worldwide may be due to folate deficiency (UNICEF/The Micronutrient Initiative 2004).

In addition to playing a role in the development and complications from diabetes, oxidative stress is also associated with CVD. It has been proposed that oxidized low-density lipoprotein (LDL) cholesterol contributes to the development of atherosclerosis through a variety of mechanisms, including leading to loss of endothelial integrity and enhancing the uptake of lipoproteins that lead to foam cell formation, thus supporting fatty streak and lesion formation (Stocker and Keaney 2004; Steinberg et al. 1989). However, clinical supplementation trials of antioxidant vitamins, such as vitamin E and vitamin C, have not resulted in consistent evidence of reduced CVD morbidity or mortality (Stocker and Keaney 2004; Madamanchi, Vendrov, and Runge 2005; Sachidanandam, Fagan, and Ergul 2005; Gaziano 2004). There are several different

theories for the lack of observed effect in these studies. For example, some propose that oxidative stress may not be a causal factor in the development of atherosclerosis, but that atherosclerosis and oxidative stress may both be consequences of inflammatory processes. It has also been suggested that clinical trials have focused too narrowly on only a few antioxidants, such as vitamin E, which only offer protection from certain types of oxidation, and that further studies are needed to explore the independent and joint effects of a wider range of antioxidants and other beneficial dietary components (Stocker and Keaney 2004).

While studies of single micronutrients have not provided consistent results, a large body of evidence shows that fruit and vegetable consumption is highly protective against the development of both CVD and cancer (Reddy 2002; Bazzano, Serdula, and Liu 2003; Liu et al. 2000; van't et al. 2000; IARC 2003). In fact, the World Health Organization estimates that low fruit and vegetable intake is responsible for 31 percent of ischemic heart disease and 11 percent of strokes, and ranks it as the sixth main risk factor for mortality worldwide (WHO 2002). Fruits and vegetables are rich in a wide variety of micronutrients and other dietary components, such as fiber and phytoestrogens, further suggesting that the joint effects of multiple nutrients may be more important than the actions of single nutrients. Fruits and vegetables contain high amounts folate and antioxidants, such as vitamin C, which have already been discussed in terms of CVD protection. Antioxidants may also modulate the endogenous formation of carcinogenic factors such as free radicals and reactive nitrogen species and thus modify cancer risk as well. A variety of other mechanisms and associations may further account for the protective effects of fruit and vegetable consumption. For example, Phase I and Phase II enzymes catalyze the formation of oxidative species, and catalyze conjugation reactions to improve their excretion, respectively. Thus these enzymes provide a balance between carcinogen activation and detoxification, and dietary components found in fruits and vegetables may act on these enzymes to tip the balance toward increased cancer protection (IARC 2003). Specific dietary components have also been found to have protective effects against specific types of cancer. For example, lycopene, found in

tomatoes, is associated with reduced risk of prostate cancer (Heber 2004). Thus, a wide variety of micronutrients and other dietary components, when ingested together via diets rich in fruits and vegetables, provide important protection against the development of CVD and various forms of cancer.

4. Discussion

This review highlights several potential links between micronutrient malnutrition and increased risk for obesity and related chronic diseases. In children, micronutrient malnutrition is a cause of stunting and may be accompanied by metabolic adaptations in response to nutrient deficiencies that increase the risk of later obesity and related chronic disease. In adults, deficiencies in key antioxidant micronutrients may promote oxidative stress, creating an environment in which the incidence and severity of diseases such as diabetes, CVD, and cancer are increased. Folate deficiency in adults may increase serum levels of homocysteine, an established risk factor for heart disease. In the presence of diabetes, disordered handling of key micronutrients, such as zinc, may worsen existing deficiencies, while the unique structural relationship of zinc with insulin may have specific implications for the development and severity of diabetes in the presence of zinc deficiency. Low fruit and vegetable consumption may additionally increase the risk of CVD and cancer through a variety of mechanisms linked with micronutrients and other dietary components.

These links are particularly salient in the context of developing countries undergoing the nutrition transition, where micronutrient deficiencies remain widespread, stunting is common, fruit and vegetable consumption is low, and obesity and related chronic diseases such as diabetes and heart disease are taking over as the leading causes of morbidity and mortality. Further research in several areas is needed to better understand the nature of the relationships between micronutrient malnutrition, overweight/obesity and chronic disease, and to improve interventions and policies to redirect the nutrition transition toward healthier outcomes in developing countries.

**The mechanisms behind the association between
childhood stunting and increased risk for overweight/obesity and
chronic disease need to be elucidated**

While many have noted that stunted children and subsequently short adults appear to be at increased risk for overweight/obesity and related chronic diseases, only a few have attempted to isolate the metabolic reasons for this link. Many studies focusing on micronutrient malnutrition, undernutrition, and stunting have shown that stunting is largely irreversible after the first 2-3 years of life (Martorell, Khan, and Schroeder 1994), which has focused efforts to prevent or reduce stunting on the periods of intrauterine and early growth. However, it is not clear whether, even if short stature endures, the metabolic changes that have been suggested as the cause of increased risk for later obesity and related disease are also irreversible. A greater understanding of the types of metabolic changes that occur with childhood stunting and which may contribute to future obesity and disease risk would help in designing effective life-cycle approaches to countering the epidemic of overweight/obesity and related diseases in countries undergoing the nutrition transition. Ideally, stunting should be prevented via good diet quality throughout the life cycle. However, if the metabolic changes that accompany stunting are not as permanent as short stature, then new interventions aimed specifically at reducing obesity and chronic disease might still be effective even after linear growth has slowed or ended, providing an additional window of opportunity.

**The extent of micronutrient malnutrition and overweight/obesity
overlap among adults, and the implications of this confluence
need to be clarified**

This paper has argued that micronutrient malnutrition and overweight/obesity are likely to overlap among adults and has suggested that this convergence may be exacerbating the rise in associated chronic disease in countries undergoing the nutrition transition. While studies of dietary patterns in transitional countries suggest that the overlap of these conditions is likely, little research has been done to show this

relationship. Forthcoming research using data from three countries at different stages of the nutrition transition shows that, in Mexico, for example, overweight/obese women are equally likely to be anemic as other women (Eckhardt et al. under review), but there is little other work that has been done on this issue. Research documenting the extent to which overweight/obesity overlaps with a variety of micronutrient deficiencies within individuals would provide additional insight into the state of diet quality in countries undergoing the nutritional transition. Additional analyses showing how the pattern of overlapping micronutrient malnutrition and overweight/obesity differs with respect to sociodemographic characteristics and diet patterns would help identify the sector of the population at risk both for undernutrition with respect to micronutrients and for overnutrition with respect to energy-dense obesogenic diets.

Established evidence for the overlap of micronutrient deficiencies and overweight/obesity and related chronic disease within individuals would also open other lines of research. This paper has described several ways in which micronutrient deficiencies might contribute to the development and severity of chronic diseases such as diabetes, CVD, and cancer. However, some of these relationships, such as the potential contribution of zinc deficiency toward the development and severity of diabetes, are still theories that need further substantiation. And, even for those more established relationships, such as that between folate deficiency and CVD, the magnitude of the micronutrient deficiency contribution, relative to genetic and other risk factors, is unclear. In the context of the nutrition transition where micronutrient malnutrition remains a serious public health problem along with emerging obesity and related chronic disease, the potential for links between the two could have widespread implications. At the very least, the coexistence of these two types of malnutrition in the same population presents a challenge to public health workers and policymakers. At the most, the presence of micronutrient malnutrition could be contributing in a meaningful way to the increase in overweight/obesity and related disease.

On a separate note, because diabetes causes disordered handling of several micronutrients such as zinc and vitamin C, which are commonly deficient in transitional

populations due to poor diet quality, the prevalence of deficiencies in these micronutrients may be influenced by concurrent disease in countries undergoing the nutrition transition. In Mexico, for example, where the prevalence of zinc deficiency is 30 percent among women (Villalpando et al. 2003), and where diabetes is on the rise and is often undiagnosed, it could be important to determine whether underlying diabetes may be contributing to zinc deficiency and to quantify the magnitude of this effect relative to low dietary intakes.

If the contribution of micronutrient malnutrition to chronic disease is significant, research into interventions to address this link would be warranted. For example, perhaps zinc supplementation, a common strategy for combating linear growth retardation in children, could be extended to include diabetic adults. Indeed, some studies of zinc supplementation in adults with Type II Diabetes have shown benefits, including significantly improved glucose disposal and decreased lipid peroxidation (Anderson et al. 2001; Marchesini et al. 1998). With regard to folate, pregnant women who are folate deficient are at increased risk of having babies with neural tube defects such as spina bifida. This known risk has prompted some countries to adopt programs for fortifying flour with folate. The role of folate in reducing homocysteine levels and potentially preventing heart disease and stroke, however, may not be as widely recognized. Many transitional countries only have voluntary, rather than mandatory, programs (such as the Dominican Republic and Kazakhstan), while others have no fortification program in place (such as Egypt) (UNICEF/The Micronutrient Initiative 2004). Governments and advocates of fortification may want to consider the effects of folate deficiency on the development of CVD in addition to neural tube defects as motivation for developing and sustaining fortification programs, and may also want to consider chronic disease outcomes in addition to the incidence of neural tube defects when attempting to measure program impacts.

**The concept of diet quality must be adopted as
the firm goal of all nutrition**

Micronutrient malnutrition and overweight/obesity are not conditions occurring at opposite ends of the malnutrition spectrum. They are related conditions both with regards to cause (poor quality diets) and with regard to effects (the promotion of chronic disease). We strongly stress that the most important strategy for reducing all forms of malnutrition in countries undergoing the nutrition transition is the promotion of programs and policies that promote sustainable strategies to enhance diet quality among all people throughout the life cycle.

References

- Adams, E. J., L. Grummer-Strawn, and G. Chavez. 2003. Food insecurity is associated with increased risk of obesity in California women. *Journal of Nutrition* 133 (4): 1070-1074.
- Ainsworth, M., K. Beegle, and G. Koda. 2005. The impact of adult mortality and parental deaths on primary schooling in Northwestern Tanzania. *Journal of Development Studies* 41 (3): 412–439.
- Alaimo, K., R. R. Briefel, E. A. Frongillo, Jr., and C. M. Olson. 1998. Food insufficiency exists in the United States: Results from the third National Health and Nutrition Examination Survey (NHANES III). *American Journal of Public Health* 88 (3): 419-426.
- Allen, L. H. 1994. Nutritional influences on linear growth: A general review. *European Journal of Clinical Nutrition* 48 (Supplement 1): S75-S89.
- Anderson, R. A., A. M. Roussel, N. Zouari, S. Mahjoub, J. M. Matheau, and A. Kerkeni. 2001. Potential antioxidant effects of zinc and chromium supplementation in people with type 2 diabetes mellitus. *Journal of the American College of Nutrition* 20 (3): 212-218.
- Barker, D. J. 1990. The fetal and infant origins of adult disease. *British Medical Journal* 301: 1111.
- Baynes, J. W., and S. R. Thorpe. 1999. Role of oxidative stress in diabetic complications: A new perspective on an old paradigm. *Diabetes* 48 (1): 1-9.
- Bazzano, L. A., M. K. Serdula, and S. Liu. 2003. Dietary intake of fruits and vegetables and risk of cardiovascular disease. *Current Atherosclerosis Report* 5 (6): 492-499.
- Bentley, M. E., and P. L. Griffiths. 2003. The burden of anemia among women in India. *European Journal of Clinical Nutrition* 57 (1): 52-60.
- Bermudez, O. I., and K. L. Tucker. 2003. Trends in dietary patterns of Latin American populations. *Cadernos de Saúde Pública* 19 (Supplement 1): S87-S99.

- Bettger, W. J. 1993. Zinc and selenium, site-specific versus general antioxidation. *Canadian Journal of Physiology and Pharmacology* 71 (9): 721-724.
- Black, R. E. 1998. Therapeutic and preventive effects of zinc on serious childhood infectious diseases in developing countries. *American Journal of Clinical Nutrition* 68 (Supplement 2): 476S-479S.
- Black, R. E. 2003. Zinc deficiency, infectious disease, and mortality in the developing world. *Journal of Nutrition* 133 (5) (Supplement 1): 1485S-1489S.
- Black, R. E., and S. Sazawal. 2001. Zinc and childhood infectious disease morbidity and mortality. *British Journal of Nutrition* 85 (Supplement 2): S125-S129.
- Brown, K. H., J. M. Peerson, J. Rivera, and L. H. Allen. 2002. Effect of supplemental zinc on the growth and serum zinc concentrations of prepubertal children: A meta-analysis of randomized controlled trials. *American Journal of Clinical Nutrition* 75 (6): 1062-1071.
- Bunce, G. E. 1994. Interactions between zinc, vitamins A and D, and hormones in the regulation of growth. *Advances in Experimental Medicine and Biology* 352: 257-264.
- Carlson, S. J., M. S. Andrews, and G. W. Bickel. 1999. Measuring food insecurity and hunger in the United States: Development of a national benchmark measure and prevalence estimates. *Journal of Nutrition* 129 (Supplement 2): 510S-516S.
- Chausmer, A. B. 1998. Zinc, insulin, and diabetes. *Journal of the American College of Nutrition* 17 (2): 109-115.
- Clausen, T., and I. Dorup. 1998. Micronutrients, minerals, and growth control. *Bibliotheca Nutritio et Dieta* 54: 84-92.
- Das, U. N. 2003. Folic acid says NO to vascular diseases. *Nutrition* 19 (7/8): 686-692.
- DHS (Demographic and Health Survey). DHS country data 2005. Available: www.measuredhs.com
- Dorup, I., and T. Clausen. 1991. Effects of magnesium and zinc deficiencies on growth and protein synthesis in skeletal muscle and the heart. *British Journal of Nutrition* 66 (3): 493-504.

- Drewnowski, A., and N. Darmon. 2005. Food choices and diet costs: An economic analysis. *Journal of Nutrition* 135 (4): 900-904.
- Drewnowski, A., and B. M. Popkin. 1997. The nutrition transition: New trends in the global diet. *Nutrition Reviews* 55 (2): 31-43.
- Drewnowski, A., and S. E. Specter. 2004. Poverty and obesity: The role of energy density and energy costs. *American Journal of Clinical Nutrition* 79 (1): 6-16.
- Eckhardt, C. L., L. E. Torheim, E. Monterrubio, S. Barquera, and M. T. Ruel. 2006. Overweight and obese women remain at risk for anemia in countries undergoing the nutrition transition (manuscript under review). *Journal of Nutrition*.
- Eichholzer, M., J. Luthy, F. Gutzwiller, and H. B. Stahelin. 2001. The role of folate, antioxidant vitamins, and other constituents in fruit and vegetables in the prevention of cardiovascular disease: The epidemiological evidence. *International Journal for Vitamin and Nutrition Research* 71 (1): 5-17.
- Florencio, T. M., H. S. Ferreira, A. P. de Franca, J. C. Cavalcante, and A. L. Sawaya. 2001. Obesity and undernutrition in a very-low-income population in the city of Maceio, northeastern Brazil. *British Journal of Nutrition* 86 (2): 277-284.
- Galal, O.M. 2002. The nutrition transition in Egypt: Obesity, undernutrition and the food consumption context. *Public Health Nutrition* 5 (1A): 141-148.
- Garrett, J. L., and M. T. Ruel. 2005. Stunted child-overweight mother pairs: Prevalence and association with economic development and urbanization. *Food and Nutrition Bulletin* 26 (2): 209-221.
- Gaskin, P. S., S. P. Walker, T. E. Forrester, and S. M. Grantham-McGregor. 2000. Early linear growth retardation and later blood pressure. *European Journal of Clinical Nutrition* 54 (7): 563-567.
- Gaziano, J. M. 2004. Vitamin E and cardiovascular disease: Observational studies. *Annals of the New York Academy of Sciences* 1031 (1): 280-291.
- Gu, D., K. Reynolds, X. Wu, J. Chen, X. Duan, R. F. Reynolds, P. K. Whelton, and J. He. 2005. Prevalence of the metabolic syndrome and overweight among adults in China. *Lancet* 365: 1398-1405.

- Halliwell, B., and J. M. Gutteridge. 1990. Role of free radicals and catalytic metal ions in human disease: An overview. *Methods in Enzymology* 186 (1): 1-85.
- Heber, D. 2004. Vegetables, fruits, and phytoestrogens in the prevention of diseases. *Journal of Postgraduate Medicine* 50 (2): 145-149.
- Hebert, P. R., J. W. Rich-Edwards, J. E. Manson, P. M. Ridker, N. R. Cook, G. T. O'Connor, J. E. Buring, and C. H. Hennekens. 1993. Height and incidence of cardiovascular disease in male physicians. *Circulation* 88 (4): 1437-1443.
- Hoffman, D. J., A. L. Sawaya, I. Verreschi, K. L. Tucker, and S. B. Roberts. 2000a. Why are nutritionally stunted children at increased risk of obesity? Studies of metabolic rate and fat oxidation in shantytown children from Sao Paulo, Brazil. *American Journal of Clinical Nutrition* 72 (3): 702-707.
- Hoffman, D. J., A. L. Sawaya, W. A. Coward, A. Wright, P. Martins, and C. de Nascimento. 2000b. Energy expenditure of stunted and nonstunted boys and girls living in the shantytowns of Sao Paulo, Brazil. *American Journal of Clinical Nutrition* 72 (4): 1025-1031.
- Hunt, J. V., C. C. Smith, and S. P. Wolff. 1990. Autoxidative glycosylation and possible involvement of peroxides and free radicals in LDL modification by glucose. *Diabetes* 39 (11): 1420-1424.
- IARC (International Agency for Research on Cancer). 2003. *IARC handbooks of cancer prevention, vol. 8: Fruits and vegetables*. Lyon, France: IARC Press.
- Jacoby, E. R. 2004. PAHO regional consultation of the Americas on diet, physical activity and health. *Food and Nutrition Bulletin* 25 (2): 172-174.
- Kannam, J. P., D. Levy, M. Larson, and P. W. Wilson. 1994. Short stature and risk for mortality and cardiovascular disease events. The Framingham Heart Study. *Circulation* 90 (5): 2241-2247.
- Kinlaw, W. B., A. S. Levine, J. E. Morley, S. E. Silvis, and C. J. McClain. 1983. Abnormal zinc metabolism in type II diabetes mellitus. *American Journal of Medicine* 75 (2): 273-277.

- Lara-Esqueda, A., C. A. Aguilar-Salinas, O. Velazquez-Monroy et al. 2004. The body mass index is a less-sensitive tool for detecting cases with obesity-associated comorbidities in short stature subjects. *International Journal of Obesity and Related Metabolic Disorders* 28 (11): 1443-1450.
- Lawless, J. W., M. C. Latham, L. S. Stephenson, S. N. Kinoti, and A. M. Pertet. 1994. Iron supplementation improves appetite and growth in anemic Kenyan primary school children. *Journal of Nutrition* 124 (5): 645-654.
- Liu, S., J. E. Manson, I. M. Lee, S. R. Cole, C. H. Hennekens, W. C. Willett, and J. E. Buring. 2000. Fruit and vegetable intake and risk of cardiovascular disease: The Women's Health Study. *American Journal of Clinical Nutrition* 72 (4): 922-928.
- Madamanchi, N. R., A. Vendrov, and M. S. Runge. 2005. Oxidative stress and vascular disease. *Arteriosclerosis, Thrombosis, and Vascular Biology* 25 (1): 29-38.
- Marchesini, G., E. Bugianesi, M. Ronchi, R. Flaminia, K. Thomaseth, and G. Pacini. 1998. Zinc supplementation improves glucose disposal in patients with cirrhosis. *Metabolism* 47 (7): 792-798.
- Martorell, R., L. K. Khan, and D. G. Schroeder. 1994. Reversibility of stunting: Epidemiological findings in children from developing countries. *European Journal of Clinical Nutrition* 48 (Suppl 1): S45-S57.
- Martorell, R., A. D. Stein, and D. G. Schroeder. 2001. Early nutrition and later adiposity. *Journal of Nutrition* 131 (3): 874S-880S.
- McMillen, I. C., and J. S. Robinson. 2005. Developmental origins of the metabolic syndrome: Prediction, plasticity, and programming. *Physiological Reviews* 85 (2): 571-633.
- MMWR (*Morbidity and Mortality Weekly Report*) 2003. Self-reported concern about food security associated with obesity—Washington, 1995-1999. *MMWR* 52: 840-842.
- Monteiro, C. A., W. L. Conde, B. Lu, and B. M. Popkin. 2004. Obesity and inequities in health in the developing world. *International Journal of Obesity and Related Metabolic Disorders* 28 (9): 1181-1186.

- Murphy, S. P., and L. H. Allen. 2003. Nutritional importance of animal source foods. *Journal of Nutrition* 133 (11): 3932S-3935S.
- Nead, K. G., J. S. Halterman, J. M. Kaczorowski, P. Auinger, and M. Weitzman. 2004. Overweight children and adolescents: A risk group for iron deficiency. *Pediatrics* 114 (1): 104-108.
- Nishi, Y. 1996. Zinc and growth. *Journal of the American College of Nutrition* 15 (4): 340-344.
- Oh, S.Y., and M. J. Hong. 2003. Food insecurity is associated with dietary intake and body size of Korean children from low-income families in urban areas. *European Journal of Clinical Nutrition* 57 (12): 1598-1604.
- Pirart, J. 1977. Diabetes mellitus and its degenerative complications: A prospective study of 4,400 patients observed between 1947 and 1973 (author's translation). *Diabetes & Metabolism* 3 (2): 97-107.
- Popkin, B. M., M. K. Richards, and C. A. Montiero. 1996. Stunting is associated with overweight in children of four nations that are undergoing the nutrition transition. *Journal of Nutrition* 126 (12): 3009-3016.
- Puoane, T., K. Steyn, D. Bradshaw, R. Laubscher, J. Fourie, V. Lambert, and N. Mbananga. 2002. Obesity in South Africa: The South African demographic and health survey. *Obesity Research* 10 (10): 1038-1048.
- Ramakrishnan, U., N. Aburto, G. McCabe, and R. Martorell. 2004. Multimicronutrient interventions but not vitamin a or iron interventions alone improve child growth: Results of 3 meta-analyses. *Journal of Nutrition* 134 (10): 2592-2602.
- Reddy, K. S. 2002. Cardiovascular diseases in the developing countries: Dimensions, determinants, dynamics, and directions for public health action. *Public Health Nutrition* 5 (1A): 231-237.
- Rich-Edwards, J. W., J. E. Manson, M. J. Stampfer, G. A. Colditz, W. C. Willett, B. Rosner, F. E. Speizer, and C. H. Hennekens. 1995. Height and the risk of cardiovascular disease in women. *American Journal of Epidemiology* 142 (9): 909-917.

- Rivera, J. A., C. Hotz, T. Gonzalez-Cossio, L. Neufeld, and A. Garcia-Guerra. 2003. The effect of micronutrient deficiencies on child growth: A review of results from community-based supplementation trials. *Journal of Nutrition* 133 (11): 4010S-4020S.
- Rivera, J. A., R. Martorell, M. T. Ruel, J. P. Habicht, and J. D. Haas. 1995. Nutritional supplementation during the preschool years influences body size and composition of Guatemalan adolescents. *Journal of Nutrition* 125 (Supplement 4): 1068S-1077S.
- Rivera, J. A., S. Barquera, F. Campirano, I. Campos, M. Safdie, and V. Tovar. 2002. Epidemiological and nutritional transition in Mexico: Rapid increase of non-communicable chronic diseases and obesity. *Public Health Nutrition* 5 (1A): 113-122.
- Sachidanandam, K., S. C. Fagan, and A. Ergul. 2005. Oxidative stress and cardiovascular disease: Antioxidants and unresolved issues. *Cardiovascular Drug Reviews* 23 (2): 115-132.
- Sawaya, A. L., L. P. Grillo, I. Verreschi, A. C. da Silva, and S. B. Roberts. 1998. Mild stunting is associated with higher susceptibility to the effects of high fat diets: Studies in a shantytown population in Sao Paulo, Brazil. *Journal of Nutrition* 128 (2): 415S-420S.
- Sawaya, A. L., G. Dallal, G. Solymos, M. H. de Sousa, M. L. Ventura, S. B. Roberts, and D. M. Sigulem. 1995. Obesity and malnutrition in a shantytown population in the city of Sao Paulo, Brazil. *Obesity Research* 3 (Supplement 2): 107s-115s.
- Sayeed, M. A., M. Z. Hussain, A. Banu, M. A. Rumi, and A. K. Azad Khan. 1997. Prevalence of diabetes in a suburban population of Bangladesh. *Diabetes Research and Clinical Practice* 34 (3): 149-155.
- Schroeder, D. G., R. Martorell, and R. Flores. 1999. Infant and child growth and fatness and fat distribution in Guatemalan adults. *American Journal of Epidemiology* 149 (2): 177-185.

- Sichieri, R., K. S. Siqueira, R. A. Pereira, and A. Ascherio. 2000. Short stature and hypertension in the city of Rio de Janeiro, Brazil. *Public Health Nutrition* 3 (1): 77-82.
- Sprietsma, J. E., and G. E. Schuitemaker. 1994. Diabetes can be prevented by reducing insulin production. *Medical Hypotheses* 42 (1): 15-23.
- Steinberg, D., S. Parthasarathy, T. E. Carew, J. C. Khoo, and J. L. Witztum. 1989. Beyond cholesterol. Modifications of low-density lipoprotein that increase its atherogenicity. *New England Journal of Medicine* 320 (14): 915-924.
- Stocker, R., and J. F. Keaney, Jr. 2004. Role of oxidative modifications in atherosclerosis. *Physiological Reviews* 84 (4): 1381-1478.
- Thompson, K. H., and D. V. Godin. 1995. Micronutrients and antioxidants in the progression of diabetes. *Nutrition Research* 15 (6): 1377-1410.
- Townsend, M. S., J. Peerson, B. Love, C. Achterberg, and S. P. Murphy. 2001. Food insecurity is positively related to overweight in women. *Journal of Nutrition* 131 (6): 1738-1745.
- Underwood, B. A., and P. Arthur. 1996. The contribution of vitamin A to public health. *FASEB J* 10 (9): 1040-1048.
- UNICEF/The Micronutrient Initiative. 2004. *Vitamin and mineral deficiency: A global progress report*. New York: UNICEF House.
- van't Veer, P., M. C. Jansen, M. Klerk, and F. J. Kok. 2000. Fruits and vegetables in the prevention of cancer and cardiovascular disease. *Public Health Nutrition* 3 (1): 103-107.
- Verhoef, P., M. J. Stampfer, and E. B. Rimm. 1998. Folate and coronary heart disease. *Current Opinion in Lipidology* 9: 17-22.
- Villalpando, S., A. García-Guerra, C. I. Ramírez-Silva, F. Mejía-Rodríguez, G. Matute, T. Shamah, and J. A. Rivera. 2003. Iron, zinc and iodide status in Mexican children under 12 years and women 12-49 years of age. A probabilistic national survey. *Salud Pública de México* 45 (Supplement 4): S520-S529.

- Walker, S. P., P. S. Gaskin, C. A. Powell, and F. I. Bennett. 2002. The effects of birth weight and postnatal linear growth retardation on body mass index, fatness and fat distribution in mid and late childhood. *Public Health Nutrition* 5 (3): 391-396.
- West, C. E., J. H. Rombout, A. J. van der Zijpp, and S. R. Sijsma. 1991. Vitamin A and immune function. *Proceedings of the Nutrition Society* 50 (2): 251-262.
- WHO (World Health Organization). 2002. *The world health report 2002*. Geneva.
- WHO (World Health Organization). 2004. *Global strategy on diet, physical activity, and health*. Geneva.
- Wolff, S. P., and R. T. Dean. 1987. Glucose autoxidation and protein modification. The potential role of 'autoxidative glycosylation' in diabetes. *Biochemical Journal* 245 (1): 243-250.
- Wolff, S. P., Z. Y. Jiang, and J. V. Hunt. 1991. Protein glycation and oxidative stress in diabetes mellitus and ageing. *Free Radical Biology and Medicine* 10 (5): 339-352.

FCND DISCUSSION PAPERS

- 211 *Poverty Comparisons with Absolute Poverty Lines Estimated from Survey Data*, Kenneth R. Simler and Channing Arndt, forthcoming
- 210 *From “Best Practice” to “Best Fit”: A Framework for Analyzing Pluralistic Agricultural Advisory Services Worldwide*, Regina Birner, Kristin Davis, John Pender, Ephraim Nkonya, Ponniah Anandajayasekeram, Javier Ekboir, Adiel Mbabu, David Spielman, Daniela Horna, Samuel Benin, and Marc Cohen, July 2006 [Published with the Development Strategy and Governance Division (DSGD), the International Service for National Agricultural Research (ISNAR), and the Environment and Production Technology Division (EPTD)]
- 209 *Is There Persistence in the Impact of Emergency Food Aid? Evidence on Consumption, Food Security, and Assets in Rural Ethiopia*, Daniel O. Gilligan and John Hoddinott, forthcoming
- 208 *Gender, Labor, and Prime-Age Mortality: Evidence from South Africa*, Futoshi Yamauchi, Thabani Buthelezi, and Myriam Velia, June 2006
- 207 *The Impact of an Experimental Nutritional Intervention in Childhood on Education among Guatemalan Adults*, John A. Maluccio, John Hoddinott, Jere R. Behrman, Reynaldo Martorell, Agnes R. Quisumbing, and Aryeh D. Stein, June 2006
- 206 *Conflict, Food Insecurity, and Globalization*, Ellen Messer and Marc J. Cohen, May 2006
- 205 *Insights from Poverty Maps for Development and Food Relief Program Targeting: An Application to Malawi*, Todd Benson, April 2006
- 204 *Nutrition Mapping in Tanzania: An Exploratory Analysis*, Kenneth R. Simler, March 2006
- 203 *Early Childhood Nutrition, Schooling, and Sibling Inequality in a Dynamic Context: Evidence from South Africa*, Futoshi Yamauchi, January 2006
- 202 *Has Economic Growth in Mozambique Been Pro-Poor?* Robert C. James, Channing Arndt, and Kenneth R. Simler, December 2005
- 201 *Community, Inequality, and Local Public Goods: Evidence from School Financing in South Africa*, Futoshi Yamauchi and Shinichi Nishiyama, September 2005
- 200 *Is Greater Decisionmaking Power of Women Associated with Reduced Gender Discrimination in South Asia?* Lisa C. Smith and Elizabeth M. Byron, August 2005
- 199 *Evaluating the Cost of Poverty Alleviation Transfer Programs: An Illustration Based on PROGRESA in Mexico*, David Coady, Raul Perez, and Hadid Vera-Ilamas, July 2005
- 198 *Why the Poor in Rural Malawi Are Where They Are: An Analysis of the Spatial Determinants of the Local Prevalence of Poverty*, Todd Benson, Jordan Chamberlin, and Ingrid Rhinehart, July 2005
- 194 *Livelihoods, Growth, and Links to Market Towns in 15 Ethiopian Villages*, Stefan Dercon and John Hoddinott, July 2005
- 193 *Livelihood Diversification and Rural-Urban Linkages in Vietnam’s Red River Delta*, Hoang Xuan Thanh, Dang Nguyen Anh, and Ceclila Tacoli, June 2005
- 192 *Poverty, Inequality, and Geographic Targeting: Evidence from Small-Area Estimates in Mozambique*, Kenneth R. Simler and Virgulino Nhate, June 2005
- 191 *Program Participation Under Means-Testing and Self-Selection Targeting Methods*, David P. Coady and Susan W. Parker, April 2005
- 190 *Social Learning, Neighborhood Effects, and Investment in Human Capital: Evidence from Green-Revolution India*, Futoshi Yamauchi, April 2005
- 189 *Estimating Utility-Consistent Poverty Lines*, Channing Arndt and Kenneth R. Simler, March 2005
- 188 *Coping with the “Coffee Crisis” in Central America: The Role of the Nicaraguan Red de Protección Social (RPS)*, John A. Maluccio, February 2005
- 187 *The Use of Operations Research as a Tool for Monitoring and Managing Food-Assisted Maternal/Child Health and Nutrition (MCHN) Programs: An Example from Haiti*, Cornelia Loechl, Marie T. Ruel, Gretel Pelto, and Purnima Menon, February 2005
-

FCND DISCUSSION PAPERS

- 186 *Are Wealth Transfers Biased Against Girls? Gender Differences in Land Inheritance and Schooling Investment in Ghana's Western Region*, Agnes R. Quisumbing, Ellen M. Payongayong, and Keijiro Otsuka, August 2004
- 185 *Assets at Marriage in Rural Ethiopia*, Marcel Fafchamps and Agnes Quisumbing, August 2004
- 184 *Impact Evaluation of a Conditional Cash Transfer Program: The Nicaraguan Red de Protección Social*, John A. Maluccio and Rafael Flores, July 2004
- 183 *Poverty in Malawi, 1998*, Todd Benson, Charles Machinjili, and Lawrence Kachikopa, July 2004
- 182 *Race, Equity, and Public Schools in Post-Apartheid South Africa: Is Opportunity Equal for All Kids?* Futoshi Yamauchi, June 2004
- 181 *Scaling Up Community-Driven Development: A Synthesis of Experience*, Stuart Gillespie, June 2004
- 180 *Kudumbashree—Collective Action for Poverty Alleviation and Women's Employment*, Suneetha Kadiyala, May 2004
- 179 *Scaling Up HIV/AIDS Interventions Through Expanded Partnerships (STEPS) in Malawi*, Suneetha Kadiyala, May 2004
- 178 *Community-Driven Development and Scaling Up of Microfinance Services: Case Studies from Nepal and India*, Manohar P. Sharma, April 2004
- 177 *Community Empowerment and Scaling Up in Urban Areas: The Evolution of PUSH/PROSPECT in Zambia*, James Garrett, April 2004
- 176 *Why Is Child Malnutrition Lower in Urban than Rural Areas? Evidence from 36 Developing Countries*, Lisa C. Smith, Marie T. Ruel, and Aida Ndiaye, March 2004
- 175 *Consumption Smoothing and Vulnerability in the Zone Lacustre, Mali*, Sarah Harrower and John Hoddinott, March 2004
- 174 *The Cost of Poverty Alleviation Transfer Programs: A Comparative Analysis of Three Programs in Latin America*, Natàlia Caldés, David Coady, and John A. Maluccio, February 2004
- 173 *Food Aid Distribution in Bangladesh: Leakage and Operational Performance*, Akhter U. Ahmed, Shahidur Rashid, Manohar Sharma, and Sajjad Zohir in collaboration with Mohammed Khaliquzzaman, Sayedur Rahman, and the Data Analysis and Technical Assistance Limited, February 2004
- 172 *Designing and Evaluating Social Safety Nets: Theory, Evidence, and Policy Conclusions*, David P. Coady, January 2004
- 171 *Living Life: Overlooked Aspects of Urban Employment*, James Garrett, January 2004
- 170 *From Research to Program Design: Use of Formative Research in Haiti to Develop a Behavior Change Communication Program to Prevent Malnutrition*, Purnima Menon, Marie T. Ruel, Cornelia Loechl, and Gretel Pelto, December 2003
- 169 *Nonmarket Networks Among Migrants: Evidence from Metropolitan Bangkok, Thailand*, Futoshi Yamauchi and Sakiko Tanabe, December 2003
- 168 *Long-Term Consequences of Early Childhood Malnutrition*, Harold Alderman, John Hoddinott, and Bill Kinsey, December 2003
- 167 *Public Spending and Poverty in Mozambique*, Rasmus Heltberg, Kenneth Simler, and Finn Tarp, December 2003
- 166 *Are Experience and Schooling Complementary? Evidence from Migrants' Assimilation in the Bangkok Labor Market*, Futoshi Yamauchi, December 2003
- 165 *What Can Food Policy Do to Redirect the Diet Transition?* Lawrence Haddad, December 2003
- 164 *Impacts of Agricultural Research on Poverty: Findings of an Integrated Economic and Social Analysis*, Ruth Meinzen-Dick, Michelle Adato, Lawrence Haddad, and Peter Hazell, October 2003
- 163 *An Integrated Economic and Social Analysis to Assess the Impact of Vegetable and Fishpond Technologies on Poverty in Rural Bangladesh*, Kelly Hallman, David Lewis, and Suraiya Begum, October 2003
-

FCND DISCUSSION PAPERS

- 162 *The Impact of Improved Maize Germplasm on Poverty Alleviation: The Case of Tuxpeño-Derived Material in Mexico*, Mauricio R. Bellon, Michelle Adato, Javier Becerril, and Dubravka Mindek, October 2003
- 161 *Assessing the Impact of High-Yielding Varieties of Maize in Resettlement Areas of Zimbabwe*, Michael Bourdillon, Paul Hebinck, John Hoddinott, Bill Kinsey, John Marondo, Netsayi Mudege, and Trudy Owens, October 2003
- 160 *The Impact of Agroforestry-Based Soil Fertility Replenishment Practices on the Poor in Western Kenya*, Frank Place, Michelle Adato, Paul Hebinck, and Mary Omosa, October 2003
- 159 *Rethinking Food Aid to Fight HIV/AIDS*, Suneetha Kadiyala and Stuart Gillespie, October 2003
- 158 *Food Aid and Child Nutrition in Rural Ethiopia*, Agnes R. Quisumbing, September 2003
- 157 *HIV/AIDS, Food Security, and Rural Livelihoods: Understanding and Responding*, Michael Loevinsohn and Stuart Gillespie, September 2003
- 156 *Public Policy, Food Markets, and Household Coping Strategies in Bangladesh: Lessons from the 1998 Floods*, Carlo del Ninno, Paul A. Dorosh, and Lisa C. Smith, September 2003
- 155 *Consumption Insurance and Vulnerability to Poverty: A Synthesis of the Evidence from Bangladesh, Ethiopia, Mali, Mexico, and Russia*, Emmanuel Skoufias and Agnes R. Quisumbing, August 2003
- 154 *Cultivating Nutrition: A Survey of Viewpoints on Integrating Agriculture and Nutrition*, Carol E. Levin, Jennifer Long, Kenneth R. Simler, and Charlotte Johnson-Welch, July 2003
- 153 *Maquiladoras and Market Mamas: Women's Work and Childcare in Guatemala City and Accra*, Agnes R. Quisumbing, Kelly Hallman, and Marie T. Ruel, June 2003
- 152 *Income Diversification in Zimbabwe: Welfare Implications From Urban and Rural Areas*, Lire Ersado, June 2003
- 151 *Childcare and Work: Joint Decisions Among Women in Poor Neighborhoods of Guatemala City*, Kelly Hallman, Agnes R. Quisumbing, Marie T. Ruel, and Bénédicte de la Brière, June 2003
- 150 *The Impact of PROGRESA on Food Consumption*, John Hoddinott and Emmanuel Skoufias, May 2003
- 149 *Do Crowded Classrooms Crowd Out Learning? Evidence From the Food for Education Program in Bangladesh*, Akhter U. Ahmed and Mary Arends-Kuening, May 2003
- 148 *Stunted Child-Overweight Mother Pairs: An Emerging Policy Concern?* James L. Garrett and Marie T. Ruel, April 2003
- 147 *Are Neighbors Equal? Estimating Local Inequality in Three Developing Countries*, Chris Elbers, Peter Lanjouw, Johan Mistiaen, Berk Özler, and Kenneth Simler, April 2003
- 146 *Moving Forward with Complementary Feeding: Indicators and Research Priorities*, Marie T. Ruel, Kenneth H. Brown, and Laura E. Caulfield, April 2003
- 145 *Child Labor and School Decisions in Urban and Rural Areas: Cross Country Evidence*, Lire Ersado, December 2002
- 144 *Targeting Outcomes Redux*, David Coady, Margaret Grosh, and John Hoddinott, December 2002
- 143 *Progress in Developing an Infant and Child Feeding Index: An Example Using the Ethiopia Demographic and Health Survey 2000*, Mary Arimond and Marie T. Ruel, December 2002
- 142 *Social Capital and Coping With Economic Shocks: An Analysis of Stunting of South African Children*, Michael R. Carter and John A. Maluccio, December 2002
- 141 *The Sensitivity of Calorie-Income Demand Elasticity to Price Changes: Evidence from Indonesia*, Emmanuel Skoufias, November 2002
- 140 *Is Dietary Diversity an Indicator of Food Security or Dietary Quality? A Review of Measurement Issues and Research Needs*, Marie T. Ruel, November 2002
- 139 *Can South Africa Afford to Become Africa's First Welfare State?* James Thurlow, October 2002
- 138 *The Food for Education Program in Bangladesh: An Evaluation of its Impact on Educational Attainment and Food Security*, Akhter U. Ahmed and Carlo del Ninno, September 2002
-

FCND DISCUSSION PAPERS

- 137 *Reducing Child Undernutrition: How Far Does Income Growth Take Us?* Lawrence Haddad, Harold Alderman, Simon Appleton, Lina Song, and Yisehac Yohannes, August 2002
- 136 *Dietary Diversity as a Food Security Indicator*, John Hoddinott and Yisehac Yohannes, June 2002
- 135 *Trust, Membership in Groups, and Household Welfare: Evidence from KwaZulu-Natal, South Africa*, Lawrence Haddad and John A. Maluccio, May 2002
- 134 *In-Kind Transfers and Household Food Consumption: Implications for Targeted Food Programs in Bangladesh*, Carlo del Ninno and Paul A. Dorosh, May 2002
- 133 *Avoiding Chronic and Transitory Poverty: Evidence From Egypt, 1997-99*, Lawrence Haddad and Akhter U. Ahmed, May 2002
- 132 *Weighing What's Practical: Proxy Means Tests for Targeting Food Subsidies in Egypt*, Akhter U. Ahmed and Howarth E. Bouis, May 2002
- 131 *Does Subsidized Childcare Help Poor Working Women in Urban Areas? Evaluation of a Government-Sponsored Program in Guatemala City*, Marie T. Ruel, Bénédicte de la Brière, Kelly Hallman, Agnes Quisumbing, and Nora Coj, April 2002
- 130 *Creating a Child Feeding Index Using the Demographic and Health Surveys: An Example from Latin America*, Marie T. Ruel and Purnima Menon, April 2002
- 129 *Labor Market Shocks and Their Impacts on Work and Schooling: Evidence from Urban Mexico*, Emmanuel Skoufias and Susan W. Parker, March 2002
- 128 *Assessing the Impact of Agricultural Research on Poverty Using the Sustainable Livelihoods Framework*, Michelle Adato and Ruth Meinzen-Dick, March 2002
- 127 *A Cost-Effectiveness Analysis of Demand- and Supply-Side Education Interventions: The Case of PROGRESA in Mexico*, David P. Coady and Susan W. Parker, March 2002
- 126 *Health Care Demand in Rural Mozambique: Evidence from the 1996/97 Household Survey*, Magnus Lindelow, February 2002
- 125 *Are the Welfare Losses from Imperfect Targeting Important?*, Emmanuel Skoufias and David Coady, January 2002
- 124 *The Robustness of Poverty Profiles Reconsidered*, Finn Tarp, Kenneth Simler, Cristina Matusse, Rasmus Heltberg, and Gabriel Dava, January 2002
- 123 *Conditional Cash Transfers and Their Impact on Child Work and Schooling: Evidence from the PROGRESA Program in Mexico*, Emmanuel Skoufias and Susan W. Parker, October 2001
- 122 *Strengthening Public Safety Nets: Can the Informal Sector Show the Way?*, Jonathan Morduch and Manohar Sharma, September 2001
- 121 *Targeting Poverty Through Community-Based Public Works Programs: A Cross-Disciplinary Assessment of Recent Experience in South Africa*, Michelle Adato and Lawrence Haddad, August 2001
- 120 *Control and Ownership of Assets Within Rural Ethiopian Households*, Marcel Fafchamps and Agnes R. Quisumbing, August 2001
- 119 *Assessing Care: Progress Towards the Measurement of Selected Childcare and Feeding Practices, and Implications for Programs*, Mary Arimond and Marie T. Ruel, August 2001
- 118 *Is PROGRESA Working? Summary of the Results of an Evaluation by IFPRI*, Emmanuel Skoufias and Bonnie McClafferty, July 2001
- 117 *Evaluation of the Distributional Power of PROGRESA's Cash Transfers in Mexico*, David P. Coady, July 2001
- 116 *A Multiple-Method Approach to Studying Childcare in an Urban Environment: The Case of Accra, Ghana*, Marie T. Ruel, Margaret Armar-Klemesu, and Mary Arimond, June 2001
- 115 *Are Women Overrepresented Among the Poor? An Analysis of Poverty in Ten Developing Countries*, Agnes R. Quisumbing, Lawrence Haddad, and Christina Peña, June 2001
-

FCND DISCUSSION PAPERS

- 114 *Distribution, Growth, and Performance of Microfinance Institutions in Africa, Asia, and Latin America*, Cécile Lapenu and Manfred Zeller, June 2001
- 113 *Measuring Power*, Elizabeth Frankenberg and Duncan Thomas, June 2001
- 112 *Effective Food and Nutrition Policy Responses to HIV/AIDS: What We Know and What We Need to Know*, Lawrence Haddad and Stuart Gillespie, June 2001
- 111 *An Operational Tool for Evaluating Poverty Outreach of Development Policies and Projects*, Manfred Zeller, Manohar Sharma, Carla Henry, and Cécile Lapenu, June 2001
- 110 *Evaluating Transfer Programs Within a General Equilibrium Framework*, Dave Coady and Rebecca Lee Harris, June 2001
- 109 *Does Cash Crop Adoption Detract From Childcare Provision? Evidence From Rural Nepal*, Michael J. Paolisso, Kelly Hallman, Lawrence Haddad, and Shibesh Regmi, April 2001
- 108 *How Efficiently Do Employment Programs Transfer Benefits to the Poor? Evidence from South Africa*, Lawrence Haddad and Michelle Adato, April 2001
- 107 *Rapid Assessments in Urban Areas: Lessons from Bangladesh and Tanzania*, James L. Garrett and Jeanne Downen, April 2001
- 106 *Strengthening Capacity to Improve Nutrition*, Stuart Gillespie, March 2001
- 105 *The Nutritional Transition and Diet-Related Chronic Diseases in Asia: Implications for Prevention*, Barry M. Popkin, Sue Horton, and Soowon Kim, March 2001
- 104 *An Evaluation of the Impact of PROGRESA on Preschool Child Height*, Jere R. Behrman and John Hoddinott, March 2001
- 103 *Targeting the Poor in Mexico: An Evaluation of the Selection of Households for PROGRESA*, Emmanuel Skoufias, Benjamin Davis, and Sergio de la Vega, March 2001
- 102 *School Subsidies for the Poor: Evaluating a Mexican Strategy for Reducing Poverty*, T. Paul Schultz, March 2001
- 101 *Poverty, Inequality, and Spillover in Mexico's Education, Health, and Nutrition Program*, Sudhanshu Handa, Mari-Carmen Huerta, Raul Perez, and Beatriz Traffon, March 2001
- 100 *On the Targeting and Redistributive Efficiencies of Alternative Transfer Instruments*, David Coady and Emmanuel Skoufias, March 2001
- 99 *Cash Transfer Programs with Income Multipliers: PROCAMPO in Mexico*, Elisabeth Sadoulet, Alain de Janvry, and Benjamin Davis, January 2001
- 98 *Participation and Poverty Reduction: Issues, Theory, and New Evidence from South Africa*, John Hoddinott, Michelle Adato, Tim Besley, and Lawrence Haddad, January 2001
- 97 *Socioeconomic Differentials in Child Stunting Are Consistently Larger in Urban Than in Rural Areas*, Purnima Menon, Marie T. Ruel, and Saul S. Morris, December 2000
- 96 *Attrition in Longitudinal Household Survey Data: Some Tests for Three Developing-Country Samples*, Harold Alderman, Jere R. Behrman, Hans-Peter Kohler, John A. Maluccio, Susan Cotts Watkins, October 2000
- 95 *Attrition in the Kwazulu Natal Income Dynamics Study 1993-1998*, John Maluccio, October 2000
- 94 *Targeting Urban Malnutrition: A Multicity Analysis of the Spatial Distribution of Childhood Nutritional Status*, Saul Sutkover Morris, September 2000
- 93 *Mother-Father Resource Control, Marriage Payments, and Girl-Boy Health in Rural Bangladesh*, Kelly K. Hallman, September 2000
- 92 *Assessing the Potential for Food-Based Strategies to Reduce Vitamin A and Iron Deficiencies: A Review of Recent Evidence*, Marie T. Ruel and Carol E. Levin, July 2000
- 91 *Comparing Village Characteristics Derived From Rapid Appraisals and Household Surveys: A Tale From Northern Mali*, Luc Christiaensen, John Hoddinott, and Gilles Bergeron, July 2000
-

FCND DISCUSSION PAPERS

- 90 *Empirical Measurements of Households' Access to Credit and Credit Constraints in Developing Countries: Methodological Issues and Evidence*, Aliou Diagne, Manfred Zeller, and Manohar Sharma, July 2000
- 89 *The Role of the State in Promoting Microfinance Institutions*, Cécile Lapenu, June 2000
- 88 *The Determinants of Employment Status in Egypt*, Ragui Assaad, Fatma El-Hamidi, and Akhter U. Ahmed, June 2000
- 87 *Changes in Intrahousehold Labor Allocation to Environmental Goods Collection: A Case Study from Rural Nepal*, Priscilla A. Cooke, May 2000
- 86 *Women's Assets and Intrahousehold Allocation in Rural Bangladesh: Testing Measures of Bargaining Power*, Agnes R. Quisumbing and Bénédicte de la Brière, April 2000
- 85 *Intrahousehold Impact of Transfer of Modern Agricultural Technology: A Gender Perspective*, Ruchira Tabassum Naved, April 2000
- 84 *Intrahousehold Allocation and Gender Relations: New Empirical Evidence from Four Developing Countries*, Agnes R. Quisumbing and John A. Maluccio, April 2000
- 83 *Quality or Quantity? The Supply-Side Determinants of Primary Schooling in Rural Mozambique*, Sudhanshu Handa and Kenneth R. Simler, March 2000
- 82 *Pathways of Rural Development in Madagascar: An Empirical Investigation of the Critical Triangle of Environmental Sustainability, Economic Growth, and Poverty Alleviation*, Manfred Zeller, Cécile Lapenu, Bart Minten, Eliane Ralison, Désiré Randrianaivo, and Claude Randrianarisoa, March 2000
- 81 *The Constraints to Good Child Care Practices in Accra: Implications for Programs*, Margaret Armar-Klemesu, Marie T. Ruel, Daniel G. Maxwell, Carol E. Levin, and Saul S. Morris, February 2000
- 80 *Nontraditional Crops and Land Accumulation Among Guatemalan Smallholders: Is the Impact Sustainable?* Calogero Carletto, February 2000
- 79 *Adult Health in the Time of Drought*, John Hoddinott and Bill Kinsey, January 2000
- 78 *Determinants of Poverty in Mozambique: 1996-97*, Gaurav Datt, Kenneth Simler, Sanjukta Mukherjee, and Gabriel Dava, January 2000
- 77 *The Political Economy of Food Subsidy Reform in Egypt*, Tammi Gutner, November 1999.
- 76 *Raising Primary School Enrolment in Developing Countries: The Relative Importance of Supply and Demand*, Sudhanshu Handa, November 1999
- 75 *Determinants of Poverty in Egypt, 1997*, Gaurav Datt and Dean Jolliffe, October 1999
- 74 *Can Cash Transfer Programs Work in Resource-Poor Countries? The Experience in Mozambique*, Jan W. Low, James L. Garrett, and Vitória Ginja, October 1999
- 73 *Social Roles, Human Capital, and the Intrahousehold Division of Labor: Evidence from Pakistan*, Marcel Fafchamps and Agnes R. Quisumbing, October 1999
- 72 *Validity of Rapid Estimates of Household Wealth and Income for Health Surveys in Rural Africa*, Saul S. Morris, Calogero Carletto, John Hoddinott, and Luc J. M. Christiaensen, October 1999
- 71 *Social Capital and Income Generation in South Africa, 1993-98*, John Maluccio, Lawrence Haddad, and Julian May, September 1999
- 70 *Child Health Care Demand in a Developing Country: Unconditional Estimates from the Philippines*, Kelly Hallman, August 1999
- 69 *Supply Response of West African Agricultural Households: Implications of Intrahousehold Preference Heterogeneity*, Lisa C. Smith and Jean-Paul Chavas, July 1999
- 68 *Early Childhood Nutrition and Academic Achievement: A Longitudinal Analysis*, Paul Glewwe, Hanan Jacoby, and Elizabeth King, May 1999
- 67 *Determinants of Household Access to and Participation in Formal and Informal Credit Markets in Malawi*, Aliou Diagne, April 1999
-

FCND DISCUSSION PAPERS

- 66 *Working Women in an Urban Setting: Traders, Vendors, and Food Security in Accra*, Carol E. Levin, Daniel G. Maxwell, Margaret Armar-Klemesu, Marie T. Ruel, Saul S. Morris, and Clement Ahiadeke, April 1999
- 65 *Are Determinants of Rural and Urban Food Security and Nutritional Status Different? Some Insights from Mozambique*, James L. Garrett and Marie T. Ruel, April 1999
- 64 *Some Urban Facts of Life: Implications for Research and Policy*, Marie T. Ruel, Lawrence Haddad, and James L. Garrett, April 1999
- 63 *Are Urban Poverty and Undernutrition Growing? Some Newly Assembled Evidence*, Lawrence Haddad, Marie T. Ruel, and James L. Garrett, April 1999
- 62 *Good Care Practices Can Mitigate the Negative Effects of Poverty and Low Maternal Schooling on Children's Nutritional Status: Evidence from Accra*, Marie T. Ruel, Carol E. Levin, Margaret Armar-Klemesu, Daniel Maxwell, and Saul S. Morris, April 1999
- 61 *Does Geographic Targeting of Nutrition Interventions Make Sense in Cities? Evidence from Abidjan and Accra*, Saul S. Morris, Carol Levin, Margaret Armar-Klemesu, Daniel Maxwell, and Marie T. Ruel, April 1999
- 60 *Explaining Child Malnutrition in Developing Countries: A Cross-Country Analysis*, Lisa C. Smith and Lawrence Haddad, April 1999
- 59 *Placement and Outreach of Group-Based Credit Organizations: The Cases of ASA, BRAC, and PROSHIKA in Bangladesh*, Manohar Sharma and Manfred Zeller, March 1999
- 58 *Women's Land Rights in the Transition to Individualized Ownership: Implications for the Management of Tree Resources in Western Ghana*, Agnes Quisumbing, Ellen Payongayong, J. B. Aidoo, and Keijiro Otsuka, February 1999
- 57 *The Structure of Wages During the Economic Transition in Romania*, Emmanuel Skoufias, February 1999
- 56 *How Does the Human Rights Perspective Help to Shape the Food and Nutrition Policy Research Agenda?*, Lawrence Haddad and Arne Oshaug, February 1999
- 55 *Efficiency in Intrahousehold Resource Allocation*, Marcel Fafchamps, December 1998
- 54 *Endogeneity of Schooling in the Wage Function: Evidence from the Rural Philippines*, John Maluccio, November 1998
- 53 *Agricultural Wages and Food Prices in Egypt: A Governorate-Level Analysis for 1976-1993*, Gaurav Datt and Jennifer Olmsted, November 1998
- 52 *Testing Nash Bargaining Household Models With Time-Series Data*, John Hoddinott and Christopher Adam, November 1998
- 51 *Urban Challenges to Food and Nutrition Security: A Review of Food Security, Health, and Caregiving in the Cities*, Marie T. Ruel, James L. Garrett, Saul S. Morris, Daniel Maxwell, Arne Oshaug, Patrice Engle, Purnima Menon, Alison Slack, and Lawrence Haddad, October 1998
- 50 *Computational Tools for Poverty Measurement and Analysis*, Gaurav Datt, October 1998
- 49 *A Profile of Poverty in Egypt: 1997*, Gaurav Datt, Dean Jolliffe, and Manohar Sharma, August 1998.
- 48 *Human Capital, Productivity, and Labor Allocation in Rural Pakistan*, Marcel Fafchamps and Agnes R. Quisumbing, July 1998
- 47 *Poverty in India and Indian States: An Update*, Gaurav Datt, July 1998
- 46 *Impact of Access to Credit on Income and Food Security in Malawi*, Aliou Diagne, July 1998
- 45 *Does Urban Agriculture Help Prevent Malnutrition? Evidence from Kampala*, Daniel Maxwell, Carol Levin, and Joanne Csete, June 1998
- 44 *Can FAO's Measure of Chronic Undernourishment Be Strengthened?*, Lisa C. Smith, with a Response by Logan Naiken, May 1998
- 43 *How Reliable Are Group Informant Ratings? A Test of Food Security Rating in Honduras*, Gilles Bergeron, Saul Sutkover Morris, and Juan Manuel Medina Banegas, April 1998
-

FCND DISCUSSION PAPERS

- 42 *Farm Productivity and Rural Poverty in India*, Gaurav Datt and Martin Ravallion, March 1998
 - 41 *The Political Economy of Urban Food Security in Sub-Saharan Africa*, Dan Maxwell, February 1998
 - 40 *Can Qualitative and Quantitative Methods Serve Complementary Purposes for Policy Research? Evidence from Accra*, Dan Maxwell, January 1998
 - 39 *Whose Education Matters in the Determination of Household Income: Evidence from a Developing Country*, Dean Jolliffe, November 1997
 - 38 *Systematic Client Consultation in Development: The Case of Food Policy Research in Ghana, India, Kenya, and Mali*, Suresh Chandra Babu, Lynn R. Brown, and Bonnie McClafferty, November 1997
 - 37 *Why Do Migrants Remit? An Analysis for the Dominican Sierra*, Bénédicte de la Brière, Alain de Janvry, Sylvie Lambert, and Elisabeth Sadoulet, October 1997
 - 36 *The GAPVU Cash Transfer Program in Mozambique: An assessment*, Gaurav Datt, Ellen Payongayong, James L. Garrett, and Marie Ruel, October 1997
 - 35 *Market Access by Smallholder Farmers in Malawi: Implications for Technology Adoption, Agricultural Productivity, and Crop Income*, Manfred Zeller, Aliou Diagne, and Charles Mataya, September 1997
 - 34 *The Impact of Changes in Common Property Resource Management on Intrahousehold Allocation*, Philip Maggs and John Hoddinott, September 1997
 - 33 *Human Milk—An Invisible Food Resource*, Anne Hatløy and Arne Oshaug, August 1997
 - 32 *The Determinants of Demand for Micronutrients: An Analysis of Rural Households in Bangladesh*, Howarth E. Bouis and Mary Jane G. Novenario-Reese, August 1997
 - 31 *Is There an Intrahousehold 'Flypaper Effect'? Evidence from a School Feeding Program*, Hanan Jacoby, August 1997
 - 30 *Plant Breeding: A Long-Term Strategy for the Control of Zinc Deficiency in Vulnerable Populations*, Marie T. Ruel and Howarth E. Bouis, July 1997
 - 29 *Gender, Property Rights, and Natural Resources*, Ruth Meinzen-Dick, Lynn R. Brown, Hilary Sims Feldstein, and Agnes R. Quisumbing, May 1997
 - 28 *Developing a Research and Action Agenda for Examining Urbanization and Caregiving: Examples from Southern and Eastern Africa*, Patrice L. Engle, Purnima Menon, James L. Garrett, and Alison Slack, April 1997
 - 27 *"Bargaining" and Gender Relations: Within and Beyond the Household*, Bina Agarwal, March 1997
 - 26 *Why Have Some Indian States Performed Better Than Others at Reducing Rural Poverty?*, Gaurav Datt and Martin Ravallion, March 1997
 - 25 *Water, Health, and Income: A Review*, John Hoddinott, February 1997
 - 24 *Child Care Practices Associated with Positive and Negative Nutritional Outcomes for Children in Bangladesh: A Descriptive Analysis*, Shubh K. Kumar Range, Ruchira Naved, and Saroj Bhattarai, February 1997
 - 23 *Better Rich, or Better There? Grandparent Wealth, Coresidence, and Intrahousehold Allocation*, Agnes R. Quisumbing, January 1997
 - 22 *Alternative Approaches to Locating the Food Insecure: Qualitative and Quantitative Evidence from South India*, Kimberly Chung, Lawrence Haddad, Jayashree Ramakrishna, and Frank Riely, January 1997
 - 21 *Livestock Income, Male/Female Animals, and Inequality in Rural Pakistan*, Richard H. Adams, Jr., November 1996
 - 20 *Macroeconomic Crises and Poverty Monitoring: A Case Study for India*, Gaurav Datt and Martin Ravallion, November 1996
 - 19 *Food Security and Nutrition Implications of Intrahousehold Bias: A Review of Literature*, Lawrence Haddad, Christine Peña, Chizuru Nishida, Agnes Quisumbing, and Alison Slack, September 1996
-

FCND DISCUSSION PAPERS

- 18 *Care and Nutrition: Concepts and Measurement*, Patrice L. Engle, Purnima Menon, and Lawrence Haddad, August 1996
 - 17 *Remittances, Income Distribution, and Rural Asset Accumulation*, Richard H. Adams, Jr., August 1996
 - 16 *How Can Safety Nets Do More with Less? General Issues with Some Evidence from Southern Africa*, Lawrence Haddad and Manfred Zeller, July 1996
 - 15 *Repayment Performance in Group-Based credit Programs in Bangladesh: An Empirical Analysis*, Manohar Sharma and Manfred Zeller, July 1996
 - 14 *Demand for High-Value Secondary Crops in Developing Countries: The Case of Potatoes in Bangladesh and Pakistan*, Howarth E. Bouis and Gregory Scott, May 1996
 - 13 *Determinants of Repayment Performance in Credit Groups: The Role of Program Design, Intra-Group Risk Pooling, and Social Cohesion in Madagascar*, Manfred Zeller, May 1996
 - 12 *Child Development: Vulnerability and Resilience*, Patrice L. Engle, Sarah Castle, and Purnima Menon, April 1996
 - 11 *Rural Financial Policies for Food Security of the Poor: Methodologies for a Multicountry Research Project*, Manfred Zeller, Akhter Ahmed, Suresh Babu, Sumiter Broca, Aliou Diagne, and Manohar Sharma, April 1996
 - 10 *Women's Economic Advancement Through Agricultural Change: A Review of Donor Experience*, Christine Peña, Patrick Webb, and Lawrence Haddad, February 1996
 - 9 *Gender and Poverty: New Evidence from 10 Developing Countries*, Agnes R. Quisumbing, Lawrence Haddad, and Christine Peña, December 1995
 - 8 *Measuring Food Insecurity: The Frequency and Severity of "Coping Strategies,"* Daniel G. Maxwell, December 1995
 - 7 *A Food Demand System Based on Demand for Characteristics: If There Is "Curvature" in the Slutsky Matrix, What Do the Curves Look Like and Why?*, Howarth E. Bouis, December 1995
 - 6 *Gender Differentials in Farm Productivity: Implications for Household Efficiency and Agricultural Policy*, Harold Alderman, John Hoddinott, Lawrence Haddad, and Christopher Udry, August 1995
 - 5 *Gender Differences in Agricultural Productivity: A Survey of Empirical Evidence*, Agnes R. Quisumbing, July 1995
 - 4 *Market Development and Food Demand in Rural China*, Jikun Huang and Scott Rozelle, June 1995
 - 3 *The Extended Family and Intrahousehold Allocation: Inheritance and Investments in Children in the Rural Philippines*, Agnes R. Quisumbing, March 1995
 - 2 *Determinants of Credit Rationing: A Study of Informal Lenders and Formal Credit Groups in Madagascar*, Manfred Zeller, October 1994
 - 1 *Agricultural Technology and Food Policy to Combat Iron Deficiency in Developing Countries*, Howarth E. Bouis, August 1994
-

